L Number	Hits	Search Text	DB	Time stamp
1	2	6324581.pn. AND mover\$1	USPAT;	2002/11/13 13:29
		'	EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT;	2002/11/13 13:28
	•	(0021001.511.741.01.17741.00.01777	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT;	2002/11/13 13:31
'	·	(EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
	_	1 002-100 f.pn. 744D (movery fixe) moradata)	EPO; JPO;	2002/11/70 10:01
		·	DERWENT;	
			IBM_TDB	
6	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	USPAT;	2002/11/13 15:20
ا ۱	'	(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO;	2002/11/10 10:20
		(Inovergit NEAR to (updatips OR changes))	DERWENT;	
-	44	(virtual NEAD4 fileft) AND (multipoptf3 OD (multi AD I1	IBM_TDB	2002/11/12 12:56
7	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:56
		cast\$3))	EPO; JPO;	
			DERWENT;	
	_	(/ : (LAUSADA SI 04) AND (IBM_TDB	000044404050
8	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:53
		cast\$3))) AND (parralel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
		// · · · · · · · · · · · · · · · · · ·	IBM_TDB	000044404054
9	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:54
		cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
	050	// III 400 0D / III 4D 14 400\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	IBM_TDB	000044404057
10	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	USPAT;	2002/11/13 13:57
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1))	USPAT;	2002/11/13 13:58
		AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
13	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10	USPAT;	2002/11/13 14:08
1		exchang\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	1	6324581.pn. AND cach\$3	USPAT;	2002/11/13 15:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	1	6081883.pn. AND cach\$3	USPAT;	2002/11/13 15:29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	2	5948062.pn. AND load\$3	USPAT;	2002/11/13 15:33
			EPO; JPO;	
1			DERWENT,	
, ,				

19	1	6453323.pn.	USPAT;	2002/11/13 16:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
20	8	("5469560" "5692155" "5758190" "5768620" "5813042"	USPAT	2002/11/13 15:56
		"5968182" "6088815" "6304980").PN.		
21	0	6304980.pn. AND geographical\$2	USPAT;	2002/11/13 16:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	2	6442548.pn.	USPAT;	2002/11/13 16:38
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
23	2	5937406.pn.	USPAT;	2002/11/13 16:38
	j	'	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
<u>-</u>	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2002/11/13 13:25
		business AND machine\$1).as.	EPO; JPO;	
		· · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
_	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
	" "	(accessor of the terminal according to the	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccis.) NOT	USPAT;	2002/11/11 17:17
-	60	((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	2002/11/11 17.17
		business AND machine\$1).as.)	DERWENT;	
		business AND machine (1).as.)	IBM TDB	
	206	database64 NEAD4 asaba64	. –	2002/11/11 17:34
-	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17.34
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	00004440 40 50
-	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
			EPO; JPO;	
			DERWENT;	
	_	(1)	IBM_TDB	0000444444
-	5	("5355497" "5367671" "5799318" "5907837"	USPAT	2002/11/11 17:28
		"5978791").PN.		
-	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
		cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
	1	machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
		machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	151	cache.ti,ab. AND (microsoft\$1).as.	USPAT;	2002/11/11 17:57
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
				<u> </u>

-	2	6356863.pn.	USPAT;	2002/11/12 16:47
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
	200	VIII COLINE TO THE AIR SYSTEM TO	EPO; JPO;	2002/11/12 17:10
			DERWENT;	,
	225	**	IBM_TDB	00004440 40.54
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
		AND distributed!	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
-	/6	AND distributed!) AND network\$1	EPO; JPO;	2002/11/12 10:0/
		AND distributed!) AND network\$1		
			DERWENT;	
			IBM_TDB	
-	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 17:08
		AND distributed!) AND network\$1) AND (load\$3 NEAR2	EPO; JPO;	
		balanc\$3)	DERWENT;	
		·	IBM_TDB	
-	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
l	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
	,	(VIII dan VIII VIII VIII VIII VIII VIII VIII VI	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1	256	(Wintered NICADO Flora) NICADA evetement) AND managere	USPAT;	2002/11/12 17:16
1 -	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5		2002/11/12 17.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT;	2002/11/12 18:28
		AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	3	6081883.uref.	USPAT;	2002/11/12 18:22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	13	("5163131" "5355453" "5537585" "5561809" "5802366"	USPAT	2002/11/12 18:24
	'3	"5848293" "5864554" "5915094" "5933603" "5995708"	30,711	
		"6081883" "6119150" "6275953").PN.		
	436		LICDAT:	2002/11/12 18:27
-	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:2/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND	USPAT;	2002/11/12 18:28
		(load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:51
		database\$1)	EPO; JPO;	
		• /	DERWENT;	
			IBM_TDB	
_	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:52
-	713	database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
			DERWENT;	
		system\$1) OR database\$1))		
	L		IBM_TDB	<u> </u>

-	5	((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:54
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
		system\$1) OR database\$1))) AND (virtual NEAR3 file\$1)	DERWENT;	
	1727	(virtual NEAD2 file@1)	IBM_TDB USPAT;	2002/11/12 19:54
-	1737	(virtual NEAR3 file\$1)	EPO; JPO;	2002/11/12 18:54
			DERWENT;	
	1		IBM TDB	
	1009	((virtual NEAR3 file\$1)) AND manage\$5	USPAT;	2002/11/12 18:55
-	1003	((Virtual 14EAIXO IIIE\$ 1) AIXO Manage\$0	EPO; JPO;	2002/17/12 10:00
			DERWENT;	
			IBM_TDB	
_	539	(((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)	USPAT;	2002/11/12 18:55
		(((((((((((((((((((((EPO; JPO;	
			DERWENT,	
			IBM_TDB	•
-	52	((((virtual NEAR3 file\$1)) AND manage\$5) AND	USPAT;	2002/11/12 20:04
		(distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14424	load\$3 NEAR2 balanc\$3	USPAT;	2002/11/12 19:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	USPAT;	2002/11/12 19:37
			EPO; JPO;	
]			DERWENT;	
1	470	(//IDO NEADO halasado) AND Jintailando AND (acceptal	IBM_TDB	000044404040
-	476	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
1		NEAR2 process\$3)	EPO; JPO;	
			DERWENT;	
	118	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	IBM_TDB USPAT;	2002/11/12 19:38
] -	110	NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR	EPO; JPO;	2002/11/12 19.30
		database\$1))	DERWENT;	
i .		44(4)43541//	IBM TDB	
_	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
		(EPO; JPO;	
			DERWENT:	
			IBM TDB	
-	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
			EPO; JPO;	
			DERWENT;	
}			IBM_TDB	
-	5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND	USPAT;	2002/11/12 20:08
		(virtual NEAR2 file\$1)	EPO; JPO;	
			DERWENT;	
		A SHOULD NEADO GLADAY AND A SHOULD AND A DATE OF A COLUMN AND A SHOULD AND A DATE OF A COLUMN AND A COLUMN AN	IBM_TDB	00004440 55 45
-	45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:18
		distribu\$4))	EPO; JPO;	
			DERWENT;	
<u> </u>	378	(virtual NEAR2 file\$1) AND ((ctargas\$1 OR database\$1)	IBM_TDB	2002/44/42 20:40
_	3/6	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))	USPAT; EPO; JPO;	2002/11/12 20:18
1		NEWLY OF CHARTON (CHARTON)	DERWENT;	
			IBM_TDB	
_	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
	"	distribu\$4))) AND mover\$1	EPO; JPO;	
			DERWENT;	
	.		IBM_TDB	
-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND bypass\$3	EPO; JPO;	<u>-</u>
			DERWENT;	
			IBM_TDB	

-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1) AND bypass\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	